



The Gazette of Meghalaya

PUBLISHED BY AUTHORITY

No. 3 Shillong, Thursday, January 16, 2020, 26th Pausha, 1941 (S. E.)

Separate paging is given on this part in order that it may be filed as a separate compilation.

PART-IX

Advertisements and Notices by Government Offices and Public Service

NOTICES

STANDARD FORM OF APPLICATION

Photo

Dated

To,

.....
.....

Sir/Madam,

I beg to apply for the post of
and furnish the facts as below. In case of any false statement, I am liable to any action Govt. may deem fit
and proper. A Treasury Challan of ₹ vide T. V. No. is attached herewith.

Signature of the Applicant.

1. Full name in CAPITAL LETTERS with aliases, if any, surname first (Please do not use any initials):
.....
2. Date of Birth :
Year Month Date
3. Place of Birth :
Village/Town Police Station District
4. Father's/Mother's and Husband's name (in case of married female) (Please do not use initials):
.....
5. Personal description :
(a) Height:..... M. Cm.
(b) Colour of eyes:
(c) Colour of hair:
(d) Visible distinguishing marks (if any):.....
6. (a) Permanent address in full:
.....
.....
(b) Present address in full:
.....
.....
(c) If you have not resided at the above address continuously for the last four years, please give the
other addresses where you have resided during the period.
.....
From To Address

7. References:-

Name and address of two responsible persons in your localities who would be prepared to vouch for you:

.....

8. Are you citizen of India? If so, how? (Copy of a Citizenship Certificate should be enclosed where necessary).

.....

9. Educational and other qualifications (Please attached copies of Certificates, Mark Sheets etc.)

Sl. No.	Name of Institution	Date of entering	Date of leaving	Examination passed	Division	Subjects taken
1	2	3	4	5	6	7
1						
2						
3						
4						
5						

10. Community:

(a) State your religion:

(b) Are you a member of Scheduled Castes/Scheduled Tribes (Answer 'Yes' or 'No'. If 'Yes' give particulars supported by a Certificate (Copy to be enclosed).

.....

11. Present occupation, if any:

12. Previous appointment held, if any:

13. Are you a temporary/retrenched personnel of temporary Department, Government of Meghalaya (Answer "Yes" or "No". (If "Yes" give particulars):

.....

14. Are you trained in or a member of the National Cadet Corps/Territorial Army/Scout or Guides? If so, give particulars.

.....

15. Are you married or unmarried?

Signature

.....

Note:- (i) Modified *vide* Govt. O.M. No. PER (AR).123/78/143-A, dated 26th September, 2016.

(ii) Particulars are to be filled in below the column in the space provided.

Shillong, the 27th September, 2019.

No.CEKSG.3/2003/82-A.— Under Section 13(2) of the Meghalaya Co-operative Societies' Act, 2015, the amendments shown below in the Bye-Law of '**Mawiong Multipurpose Co-operative Society Ltd.**' registered under the Meghalaya Co-operative Societies' Act, 2015 (Act No. 11 of 2015) in the District of East Khasi Hills, Meghalaya, Shillong has duly registered.

The Bye-laws amended and registered this day the 27th November **Two Thousand Nineteen Anno Domini** are as follows:-

Partial Amendment:

Bye-Law No.1	The Society from today will be known as " Mawiong Dairy Co-operative Society Ltd. "
NAME OF THE SOCIETY	
Bye-Law No. 9(1)(a)	(To be Added)
SHARE CAPITAL AND VALUE OF SHARES	(i) Authorised Share Capital of the Society shall be ₹ 20,00,000/- (Rupees Twenty lakhs) only made of 4,000 (Four thousand) Shares of ₹ 500/- (Rupees Five hundred) only each.
	(b) Each share shall be valued at ₹ 500/- (Rupees Five hundred) only to be paid up within thirty days from the date of the notice of allotment. The total number of shares which may be held by any member shall be as allowed by law subject to the provision of Bye-Law 5(3). Members may increase their share holding at any time subject to the provision of Bye-Law 5(3) without any further fee.

M. BUHPHANG,

Assistant Registrar of Co-operative Societies,
East Khasi Hills, Shillong.

Nongstoin, the 18th November, 2019.

No.NCS(IVCS) 15/2019-20/2264. – Under Section 11(2) of the Meghalaya Co-operative Societies Act-2015, a Co-operative Society under the Name "**Tynghor Integrated Village Co-operative Society Ltd**", Tynghor Village, B.P.O. Nonglang, P. O. Nongstoin, P. S. Nongstoin, in the District of West Khasi Hills this day registered in my office and the numbered as **No. Nong 15 of 2019-2020**, dated the **18th day of November** of the year **Two Thousand Nineteen** Anno Domini.

J. C. PAUL,

Assistant Registrar of Co-operative Societies,
West Khasi Hills District, Nongstoin.

Nongstoin, the 18th November, 2019.

No.NCS(Indl) 16/2019-20/2336. – Under Section 11(2) of the Meghalaya Co-operative Societies Act-2015, a Co-operative Society under the Name "**Siejlieh Textiles & Handicraft Industrial Co-operative Society Ltd**", Siejlieh Village, P.O. Nongstoin, P. S. Nongstoin, in the District of West Khasi Hills this day registered in my office and numbered as **No. Nong 16 of 2019-2020**, dated the **18th day of November** of the year **Two Thousand Nineteen** Anno Domini.

J. C. PAUL,

Assistant Registrar of Co-operative Societies,
West Khasi Hills District, Nongstoin.

Amlarem, the 26th November, 2019.

FORM OF CERTIFICATE OF REGISTRATION

No.CA (IVCS)418/2019/369. – Certificate of Registration **No. AM-V of 2019-20** in the Office of the Sub-Registrar of Co-operative Societies, Amlarem Sub-Division, Amlarem under the Meghalaya Co-operative Societies Act (Assam Act-I of 1950 as adapted by the Meghalaya).

In the matter of the application of **Shri Hope Mukhim** and 23 others for registration of Co-operative Societies at Jarain village under Amlarem Sub-Division, Amlarem, I do hereby certify that in pursuance to Section No. II (2) of the Meghalaya Co-operative Societies Act 2015 the said society has been registered in my office as a Co-operative Society with Limited liabilities under the title of ***The Shkenpyrsit Integrated Village Co-operative Societies Ltd.*** and the number is **No. A. M-V of 2019-2020** dated Amlarem the ***Twenty Sixth Day of November of the year Two Thousand and Nineteen Anno Domini.***

1. The Bye-laws adopted by the Society has also been registered
2. The Following is the area of operation of the Society.

Shkenpyrsit Village.

Sub-Registrar of Co-operative Societies,
Amlarem Sub-Division, Amlarem.

Amlarem, the 26th November, 2019.

FORM OF CERTIFICATE OF REGISTRATION

No.CA (IVCS) 417/2019/360. – Certificate of Registration **No. AM-IV of 2019-20** in the Office of the Sub-Registrar of Co-operative Societies, Amlarem Sub-Division, Amlarem under the Meghalaya Co-operative Societies Act (Assam Act-I of 1950 as adapted by the Meghalaya).

In the matter of the application of **Shri Kliarbha Sana** and 17 others for registration of Cooperative Societies at Jarain village under Amlarem Sub-Division, Amlarem. I do hereby certify that in pursuance to Section No. II (2) of the Meghalaya Co-operative Societies Act 2015 the said society has been registered in my office as a Co-operative Society with Limited liabilities under the title of “**The Jarain Integrated Village Co-operative Societies Ltd.**” and the number is **No. A. M-IV of 2019-2020** dated Amlarem the **Twenty Sixth Day of November of the year Two Thousand and Nineteen Anno Domini**.

1. The Byelaws adopted by the Society has also been registered
2. The Following is the area of operation of the Society.

Jarain Village.

Sub-Registrar of Co-operative Societies
Amlarem Sub-Division, Amlarem.

Tura, the 27th November, 2019.

No.CGG.73/2019/64/2370. – Under Section 11(2) of the Meghalaya Co-operative Societies Act, 2015 a Co-operative Society under the name of the “**HULLUKONA INTEGRATED VILLAGE CO-OPERATIVE SOCIETY LTD.**” in the District of West Garo Hills has been registered in my office and numbered as **NO.T – 12 of 2019-2020** dated this day the 27th November of the year **Two Thousand Nineteen ANNO DOMINNI**.

K. P. CHOUDHURY,
Assistant Registrar of Co-operative Societies,
West Garo Hills, Tura.

Tura, the 28th November, 2019.

No.CGG.73/2019/70/2404. – Under Section 11(2) of the Meghalaya Co-operative Societies Act, 2015 a Co-operative Society under the name of the “**CAMBDA INTEGRATED VILLAGE CO-OPERATIVE SOCIETY LTD.**” in the District of West Garo Hills has been registered in my office and numbered as **NO.T – 13 of 2019-2020** dated this day the 27th November of the year **Two Thousand Nineteen ANNO DOMINNI**.

K. P. CHOUDHURY,
Assistant Registrar of Co-operative Societies,
West Garo Hills, Tura.

Shillong, the 16th December, 2019.

No.EE/PHE/HD/W-100/2019-20/1241. – Sealed tender duly affixed non-refundable Court Fees Stamp as indicated below for each group to be drawn up in P.W.D. F-2 Forms are hereby invited from the Class-I contractor of PHE Department, Class-II of S.E. (PHE) Rural Circle, Shillong and Class-III of Hills Division Shillong for the following works and received by the undersigned upto 22nd January, 2020 and will be open at 2:00 P.M. on the same date same place and same hours in present of the contractors or their authorized Agents who like to be present.

The detailed tender notice, terms and condition and specification of the works can be had from the office of the undersigned on a written application on all working days office hours from 13th January, 2020 to 21st January, 2020 on payment as indicated below.

The undersigned does not bind himself to accept the lowest rate and reserve the full right to accept or reject any or all Tenders without assigning any reason thereof or to offer the lowest rate to any Tenderers if he feels necessary.

Contractors/Tenderers should see the site before submission of Tenders

Sl. No.	ITEM OF WORKS	Estimated value	Time allow for completion from the date of Work Order	Court Fees Stamp to be affixed	Cost of Tender Paper (non-refundable)
Mawshbuit W.S.S. (Phase-I)					
1.	Laying of Distribution Main (Gr-1)	₹ 1,96,900/-	30 Days	₹ 200/-	₹ 200/-
2.	Laying of Distribution Main (Gr-2)	₹ 1,98,800/-		₹ 200/-	₹ 200/-
3.	Laying of Distribution Main (Gr-3)	₹ 1,96,600/-		₹ 200/-	₹ 200/-
4.	Laying of Distribution Main (Gr-4)	₹ 1,97,600/-		₹ 200/-	₹ 200/-
5.	Laying of Distribution Main (Gr-5)	₹ 1,96,900/-		₹ 200/-	₹ 200/-
6.	Laying of Distribution Main (Gr-6)	₹ 1,98,800/-		₹ 200/-	₹ 200/-
7.	Laying of Distribution Main (Gr-7)	₹ 1,99,400/-		₹ 200/-	₹ 200/-
8.	Laying of Distribution Main (Gr-8)	₹ 1,97,600/-		₹ 200/-	₹ 200/-
9.	Laying of Distribution Main (Gr-9)	₹ 1,96,900/-		₹ 200/-	₹ 200/-
10.	Laying of Distribution Main (Gr-10)	₹ 1,98,800/-		₹ 200/-	₹ 200/-
11.	Laying of Distribution Main (Gr-11)	₹ 1,99,400/-		₹ 200/-	₹ 200/-
12.	Laying of Distribution Main (Gr-12)	₹ 1,95,500/-		₹ 200/-	₹ 200/-
13.	Laying of Distribution Main (Gr-13)	₹ 1,99,600/-		₹ 200/-	₹ 200/-

P. NONGRUM,
Executive Engineer, PHE,
Hills Division, Shillong.

Shillong, the 19th December, 2019.

No.SPMU(NHP)SRCS/46/2019-20/8.- 1. The Chief Engineer, Water Resources Department, Meghalaya invites quotations which shall be submitted in the e-Procurement Portal for the following package:

Sl. No.	Package	RFQ No.	Completion Period
1.	River cross-section survey of 25 Automatic Water Level Recording Sites (AWLR) of Water Resources Department, Meghalaya	NHP-2019-2020-ML-823017	5 (Five) months from the date of signing of Contract Agreement

2. Detailed RFQ is available on <https://meghalayatenders.gov.in>
3. The RFQ Documents are available online and can be downloaded free of cost by logging on to the website from **14:00 hours on 23rd December, 2019.**
4. Deadline for submission of quotations is **14:00 hours on 22nd January, 2020.**
5. Opening of quotations is at **15:00 hours on 22nd January, 2020.**
6. The quotations are to be submitted online through the same e-procurement portal only.
7. The minimum qualification criteria are specified in the RFQ documents.

Name & Address of Purchaser:

Shri W. M. M. Law, Chief Engineer, Water Resources Department, Meghalaya

Govt. Fruit Garden, Opposite St. Edmund's College Main gate, Shillong-793014, Meghalaya

Telephone - 0364-2520023

e-mail - meghalayawrd@gmail.com

W. M. M. LAW,
Chief Engineer (WR)
& Nodal Officer, SPMU, NHP
Meghalaya, Shillong.

Shillong, the 3rd January, 2020.

SHORT TENDER NOTICE

No.WRDES-314/NSP/2019-20/2213. – Sealed tender paper affixing with non-refundable Court Fee Stamp of equivalent amount corresponding to the value of work tendered and eventually to be drawn in F-2 tender agreement are invited from the registered Class I (one) contractors of the Chief Engineer (WR) Department, Class II (two) contractors of the Superintending Engineer (WR) Shillong Circle, Shillong and Class III (three) contractors of this Division for the mentioned work which will be received in the Office of the undersigned upto 2:00 P.M. on the 23rd January, 2020 and will be opened on the same date and hour in presence of the contractors or their authorized agents, if they so desire to be present.

Detailed of Tender Papers will be sold during working hours from 11:00 A.M. to 3:00 P.M. on the 20th, 21st and 22nd January, 2020.

Name of work

Renovation of water supply to Residential and Non-Residential Buildings,
Construction of Store Room including Electrical Installation
at Fruit Garden, Shillong.

Estimated amount

₹ 21,85,464.00

(Detailed Groups of work can be obtained on the day of selling of tenders from the office of the undersigned during office hours)

1. Non-Tribal contractor are required to produce valid Trading Licence.
2. All contractors should quote their Full name and Surname in all the tender documents. They should also enclosed the relevant documents viz Cash Receipt for the cost of Tender Paper, Valid Registration, Pan Card, GST, Labour Licence, Professional Tax. For Electrification works - valid Electrical Supervisor License & Wiremen License is required, Experience Certificate wherever applicable and Photograph duly attested. Working Capital (works for ₹ 15.00 lacs and above), Average annual turn over (works for ₹ 15.00 lacs and above), Technical qualified and Experienced Person(s) as required will be approved by the Executive Engineer Incharge and shall have to be kept at site by the contractor to supervise all the works (works for ₹ 10.00 lacs and above). Documentary proof of having qualified technical personal as mentioned above has to be enclosed along with the undertaking for such technical personal proposed to be engaged together with the attested copy of technical qualification certificate. The name appearing in all the stated documents should be the same or else this may be one of the reason for the tender liable to be rejected.
3. The Court fee stamp to be pasted in the tender document for different values of works and the cost of tender paper for various tender values are available on the Notice Board.
4. All other requisites to be filled and enclosed as mentioned in the detailed Tender Paper. Each page of the detailed Tender Paper should be signed.
5. In case the last date happened to be the holiday, the tender will be opened on the next working day at the same time and hour.
6. Payment subject to availability of fund.
7. The undersigned has the right to further split the groups of work to a certain limit without assigning any reason thereof.

8. The undersigned deserved the right to accept or reject any tender or application without assigning any reason thereof.
9. Tender Paper must be submitted in a sealed covered enveloped with the name of the project and Group No. written on it.
10. On received of the Pre-work order contractor must register themselves with the Labour Commissioner Meghalaya for the Building and other construction workers (Regulation of Employment and Condition of Service Act 1996) and a certificate should be produced without which Final work order will not be issued.
11. 1% of the bill value will be deducted from the Bill as Building and other construction workers welfare cess.
12. GST on works contract will be deducted at the applicable rate of the concern department.
13. TDS (Income Tax) on works contract will be deducted at the applicable rate of the concern department.
14. Forest Royalty if any on works contract will be deducted at the applicable rate of the concern department.

Executive Engineer (WR)
East Khasi Hills Division, Shillong.

Shillong, the 20th December, 2019.

No.HEW/TB-CS/NAM/NCH & WC/U/RB/2019/321/4673-4684.- 1. Sealed Tenders affixing non-refundable Court Fee Stamp of ₹ 2,000.00 (Rupees two thousand) only to be eventually drawn in PWD F-2 Form of Tenders are hereby invited in Two Bids System i.e. 'Technical Bid' and 'Financial Bid' separately from Registered Class I Contractors of this Engineering Wing having the requisite qualification and adequate experience as per attached in Additional Terms & Conditions for execution of the works mentioned below and will be received in the Office of the undersigned up to 2:30 P. M. on 17th January, 2020.

The Technical Bids will be opened on the same date, hour and place in the presence of the Tenderers or their authorized agents who would like to be present.

Intending Tenderers will have to purchase Tender Papers to be sold @ ₹ 5,000.00 (Rupees five thousand) only and to be issued up to 3:00 P.M. on 16th January, 2020. Tender Papers fee thus paid is non-refundable.

2. **Name of Work:-** Setting up of Nature Care Hospital and Wellness Centre at Umtrew in Ri-Bhoi District, Meghalaya under National AYUSH Mission for the year 2016-17 (Construction of Main Building, Administrative Block, Female General Ward, Male General Ward, Female Private Ward, Male Private Ward, Yoga Hall, M.O's Quarter, Staff Quarter and Canteen including Site Development, Sanitary Installation, Water Supply, Tiles and Internal Electrification).
3. **Nature of Works:-** (i) Main Building: Two Storied RCC Building.
(ii) All other Buildings: Single Storey RCC Building.
4. **Tender Value:-** ₹ 6,27,40,900.00 (Rupees six crores twenty seven lakhs forty thousand nine hundred) only
5. **Rate:-** The Rate is to be quoted in Annexure - I of the Tender Papers both in figures and in words. The Rate in Annexure - I with Annexure - II shall be submitted in separate Sealed Cover 'B'.
6. **Time of Completion:-** 18 (eighteen) months from the date of issue of Work Order.
7. Non-Tribal Contractors/Firms shall have to furnish valid Trading License from respective concerned District Council along with Tender, otherwise their Tender shall be rejected.
8. Detailed Terms & Conditions may be seen in the Office of the Undersigned during Office hours on any working days.
9. Tender Papers will be issued on Sale from 6th January, 2020 on all working days till 16th January, 2020 which is one day ahead of closing/opening of Tenders. Tender Papers may be obtained from the Office of the undersigned on all working days from 11:00 A.M. to 3:00 P.M. on payment in cash.
10. The undersigned shall have full authority to accept/reject any Tender without assigning any reason thereof.
11. Contractor shall strictly abide by the provision made under Section 12 of BOCW (RE&CS) Act and they are to register themselves with the Meghalaya BOCW Board. Also it is mandatory for the contractors to engage only BOCW registered labourers. Non-compliance will attract penalty under the Act.

M. SHYLLA,
Executive Engineer
Health Engineering Wing
Directorate of Health Services
Meghalaya, Shillong.

Shillong, the 17th December, 2019.

No.HEW/TB-CS/TC/N/RB/2019/322/4686-4692.- Sealed Tenders duly affixed with non-refundable Court Fee Stamp of ₹ 1000.00 (Rupees one thousand) only for Gr. No. I & II and ₹ 300.00 (Rupees three hundred) only for Gr. No. III to be eventually drawn in the PWD F-2 Form of Tenders are hereby invited from Registered Class I Contractors of this Engineering Wing and will be received in this Office of the undersigned up to 2:30 P.M. on 17th January, 2020.

Tenders will be opened on the same date, hour and place in the presence of the Tenderers or their authorized Agents who would like to be present.

Intending Tenderers are to purchase Tender Paper @ ₹ 500.00 (Rupees five hundred) only for all the Groups from the Office of the undersigned on all working days from 11:00 A.M. to 3:00 P.M. with effect from 6th January, 2020 up to 16th January, 2020 (Non-refundable).

Name of Work:- Strengthening of Existing Trauma Centre at Nongpoh District Hospital on Account of the Capacity Building for Developing Trauma Care Facility on National Highways for the year 2016-17.

Gr. No.	Name of Work (group-wise)	Tender Value	Time of completion from the date of issue of Work Order
I	Construction of Trauma Care Storage Facility.	₹ 50,00,000/-	10 (ten) months
II	Renovation & Improvement of Old Trauma Centre for setting up of Level-III Trauma Care Facility including Wiring at Trauma Care Centre.	₹ 35,00,000/-	4 (four) months
III	Renovation and Improvement of Mortuary including re-wiring.	₹ 15,00,000/-	4 (four) months

M. SHYLLA,
Executive Engineer
Health Engineering Wing
Directorate of Health Services
Meghalaya, Shillong.

Shillong, the 6th January, 2020.

CORRIGENDUM & ADDENDUM

No.Com/Trans/RFP/HS/90/2019/71. - In continuation to the RFP No.Com/Trans/RFP/HS/90/2019/53, dated 26th November, 2019 and No.Com/Trans/RFP/HS/90/2019/70, dated 9th December, 2019, please visit the website: www.megtransport.gov.in for the corrigendum and addendum. The last date & time for submission of Bids is **14th January, 2020 at 3:30 P.M.**

I. W. INGTY,
Commissioner of Transport,
Meghalaya, Shillong.

Shillong, the 6th January, 2020.

CORRIGENDUM & ADDENDUM

No.Com/Trans/RFP/HS/90/2019/72.- In continuation to the RFP No.Com/Trans/RFP/HS/90/2019/53, dated 26th November, 2019 and No.Com/Trans/RFP/HS/90/2019/70, dated 9th December, 2019.

1. In Clause 2.20 (g) the text stating "last 2 financial years" stands amended as "last 3 financial years".
2. In Clause 2.20 (n) the text stating "Should not be involved in any fatal accident in the last 3 years" stands amended as "Should not have been blacklisted by DGCA for any accident in the last 3 years (Self declaration to be attached)".
3. Clause 2.21 (i) A (i) is suffixed with the text "Self Certification from Bidder to be submitted".
4. In Clause 2.21 (v) "Demand Draft" stands replaced with "Bank Guarantee".
5. In Clause 5.2 (ii) the text "Part III Issue III dated 4th August, 2015, stands replaced with "Part IV dated 16th Sep' 2019".
6. In Clause 2.25 of the RFP, the following text stands added as sub-clause 2.25 (i) (e):
"The Government of Meghalaya reserves the right to inspect the Helicopters proposed to be deployed by the Helicopter operator. During the inspection, if the proposed Helicopter is found to be unsatisfactory for carrying out the scope of work as per the RFP, the Government of Meghalaya (GoM) may not award the Contract, or if already awarded, the GoM reserves the right to terminate the contract forthwith".

I. W. INGTY,
Commissioner of Transport,
Meghalaya, Shillong.

Shillong, the 20th December, 2019.

No.EE/PHE/GSWS-I/TB-6/2019-20/1498. – 1. Sealed Tenders for providing Additional Water Supply to different areas under the Shillong Municipal Board areas, Shillong affixing non-refundable Court Fee Stamp as applicable to be drawn in PWD F-2 Form, is hereby invited from Registered Class-I Contractors of PHE Department, Meghalaya, Class-II Contractors from Superintending Engineer, Greater Shillong Circle and Class-III Contractors of GSWS Division No.-I, Shillong having past experiences in execution of similar work including sound financial capability for works. The last date for submission of the tenders is upto 14:00 Hrs. of 20th January, 2020. The tenders received will be opened on the same date at 15:00 Hrs. in the presence of tenderers or their authorized agents who would like to be present.

2. The detailed specification and tender paper can be had from the Office of the Executive Engineer (PHE), Division No.-I, Shillong, during the working days from 6th January, 2020 upto 14:00 Hrs. of the 17th January, 2020.

W. NONGBRI,
Executive Engineer (PHE),
G.S.W.S. Division No.-I, Shillong.

OFFICE OF THE DIRECTOR : FORENSIC SCIENCE LABORATORY :
MEGHALAYA : SHILLONG

Shillong, the 2nd January, 2020.

TENDER NOTICE

No.FSL.51/MOD/2018-19/8. - Sealed tender affixing non-refundable Court Fee Stamp of Rs. 400/- (Rupees four hundred) only are invited from bonafide, established, reputed manufacturers or their authorised dealers/agents/ representative for entering into the rate contract for supply, installation and demonstration of equipment for **Modernisation Scheme 2018-2019** as per the Technical Specifications, in Annexure “A” and Terms and conditions laid down in the Tender notice.

Terms and Conditions

Items offered must be of reputed companies/manufacturers and should meet with all the specifications as those given in Annexure. Tender should be accompanied with catalogue, warranty/ guarantee or any related papers & will be received up to 1400 hrs. on the **28nd January, 2020** and will be opened on the same day at 1500 hrs. Bidders or their authorised representatives are invited at the time of opening of the tender. Tenders received after 1400 hrs. of **28nd January, 2020** by hand or by post will be summarily rejected.

2. Tender must be accompanied by:-

- (a) Affixed non-refundable court fee stamp of Rs. 400/-.
- (b) Tenderers should quote specific rate for each item. Tender must be accompanied by Earnest money @ of 2% for General and 1% for Scheduled Caste/Schedule Tribe of the total amount of Tender value/Contract value. The earnest money preferably should be in the form of (i) Crossed Bank Draft or (ii) Deposit at call duly pledge in favour of the Director of Forensic Science Laboratory, Meghalaya, Shillong at any Nationalised Bank at Shillong. The Earnest Money/Security Deposit papers pending in this office in connection with other tenders/supplies shall not be considered as Earnest Money for the tender. Further, no tenderer is exempted from the requirement of depositing Earnest Money on any ground.
- (c) Valid and current Income tax clearance certificate from the Income Tax Department
- (d) Attested copy of PAN.
- (e). Attested copy of professional Tax Certificate.
- (f) Valid GST Registration certificate and TIN No. of the tenderer.
- (g) Latest financial stability certificate from a Scheduled Bank certifying that the Tenderer is financially sound to undertake the contract.
- (h) Authenticated copy of rate contract with DGS & D if tenderers have any existing and valid rate contract with DGS & D.
- (i) **Dealership/distributorship/ certificate from the Principal manufacturers/sub dealership certificate from the Distributor**

- (j) Attested copy of valid Trading Licence in terms of KHADC, JHADC & GHADC (for non-tribal) Regulation Act 1954 by tenderers who are required to obtain such Licence.
- (k) Recent passport size photograph of the Tenderer duly attested

3. The following information must be mentioned on the body of the envelope containing the quotations, failing which the sealed envelope of the quoting firm will not be opened.

- (a) Professional Tax certificate. - is enclosed
- (b) Valid GST Registration Certificate - is enclosed
- (c) Income Tax Certificate/PAN - is enclosed
- (d) Earnest money -is enclosed.
- (e) Court Fee stamp -is enclosed.
- (f) Trading Licence from KHADC, JHADC & GHADC (for non-tribal)-is enclosed.
- (g) Dealership certificates from Principal manufacturers. - is enclosed
- (h) SC/ST Certificate. - is enclosed
- (i) Passport size photograph of the bidder should also be enclosed. - is enclosed
- (j) Latest financial stability Certificate from any recognized Bank. - is enclosed.

Failure to enclosed any one of these documents or enclosed of any invalid documents will result in automatic rejection of the quotation.

4. **Rates quoted**

- (a) should be inclusive of cost of accessories.
- (b) should be valid for one calendar year from the date of acceptance of tender.
- (c) should be quoted FOR destination Shillong, door delivery Director Forensic Science Laboratory, Meghalaya, Shillong
- (d) Should be inclusive of all Charges like packing, insurance, transit risk and other incidental charges only GST and local taxes (if applicable) should be shown separately.
- (e) Should be written clearly in figure and in words. Any alteration or overwriting must be fully signed by the tenderers.
- (f) Once the rates offered in the tender are accepted enhancement will not be entertained under any circumstances and tenderers will be liable to supply the items at the accepted rate. Failure to supply the items at the accepted rates will entail the offer being cancelled and the security money will be forfeited to the Government of Meghalaya.

5. Tender should be addressed to the undersigned by designation and not by name. Sealed envelope containing the tender must be superscribed as "Tender for of Equipment under Modernisation scheme 2018-2019." and must be sent by registered post or hand delivery.

6. The successful tenderers will be:-

- (a) Intimated by a Letter of Acceptance of the Director of Forensic Science Laboratory, Meghalaya, Shillong. Till then no bidder has any right to assume that his/her tender has been accepted. There shall be no claim whatsoever for compensation for any expenditure incurred by any tenderers in anticipation of acceptance letter.
- (b) Required to furnish a security deposit as per rates mentioned below and execute the contract agreement to ensure fulfillment of the terms and conditions of the contract which successful bidder/s will have to enter into. Such security deposit will be subjected to forfeiture in case of non-fulfillment of terms and conditions of the tender notice on the contract agreement. The earnest money of the successful tenderer/s will not be released till the full security deposit is furnished. Earnest money of the successful tenderer/s will be forfeited to the Government in case of failure to furnish security money in full.

7. **RATES OF SECURITY DEPOSIT**

For contract upto Rs. 20,000/- 5% from local & 6% from non-Locals.

For contract upto Rs. 50,000/- 10% from local & 11% from non-Locals.

For contract upto Rs. 1,00,000/- 10% from local & 11% from non-Locals.

For contract over Rs. 1,00,000/- 20% for all categories .

The Security Deposit should be interest free and in the form of a valid Bank Draft/Deposit at Call pledged in favour of the undersigned.

8. The Director of Forensic Science Laboratory, Meghalaya may rescind forthwith the contract in writing if,

- a) A Tenderer assigns or sublets any contract in respect of contract or any other contract entered into with the Government.
- b) Tenderer or his agent/Servant are found guilty of fraud of this contract or any other contract.
- c) Declines, neglect or delays to comply with the demand/requisition or in any other way fails to perform or observe any of or all the conditions of the contract agreement.

In case of such rescission the Security Deposit in full shall stand forfeited and absolutely be at the disposal of the Government without prejudice to any other remedy or action that the Government shall be entitled to recover from the successful Tenderer any extra expenses Govt. may deem necessary in obtaining the supplies.

9. In the event of the successful Tenderer failing to perform his/her part of any or all the contract agreement to the satisfaction of the Department or disregarding any terms and conditions of the Tender Notice and or the contract agreement the successful Tenderer shall be liable to any of or all of the following action at the discretion of the Director of Forensic Science Laboratory, Meghalaya, Shillong on behalf of the Government of Meghalaya.

- (i) Forfeiture of security deposit in whole or part.
 - (ii) Making good the loss caused to the Government through the liability, neglect, delay in complying with the demand.
 - (iii) Cancellation of the contract without any prior notice to the contractor.
10. If the successful Tenderer/s willfully neglects, fails to perform or observe any or all conditions of the contract agreement or attempts to cheat or indulge in foul practices, the Director of Forensic Science Laboratory, Meghalaya, Shillong may impose a ban upon such Tenderer(s) for future business within the Department.
 11. Quantities mentioned in the list are only illustrative and may be increased/reduced on finalisation of order depending on the availability of fund and actual requirements.
 12. Once the sample/technical specification of the items are approved, no change of brand, name, shape, pattern, quality or specifications will be entertained even on the plea of non-availability of raw materials or alternative offer of the same quality.
 13. The store, supplied must be of the same specifications, weight and quality as the tendered models/samples/Tech. Spec. If the items are rejected by the undersigned due to non-meeting of the Technical Specification the supplier must replace the rejected items at their own cost forthwith and in a period of 21 (twenty one) days from the date of rejection.
 14. Delivery, installation and demonstration must be completed within thirty days from the date of receipt of firm orders. No extension of delivery & installation period will be entertained.
 15. Payment will be made to the suppliers directly only on completion of supplies and on correct receipt of goods by the respective consignee in good condition. Documents/vouchers/ P.R. Bills etc. routed through Banks will not be accepted. Consignment will be dispatched by the firm after payment of all freight charges at the source. Freight to pay P.R. will not be accepted.
 16. Risk of transportation will be borne by the Tenderer themselves.
 17. Comprehensive on site warranty should be indicated alongwith after sale services facilities.
 18. One set of manuals of (Instructions and Maintenance) should be supplied free of cost for each item wherever applicable.
 19. The Director Forensic Science Laboratory, Meghalaya, Shillong reserved the right to himself/herself to reject the lowest rate or any of the tender without assigning any reason thereof.
 20. Any dispute arising out of or in respect of these terms and conditions of the Contract Agreement shall be in the Jurisdiction of the Courts in Meghalaya.

In charge Director
Forensic Science Laboratory,
Meghalaya, Shillong.

ANNEXURE "A"

OFFICE OF THE DIRECTOR : FORENSIC SCIENCE LABORATORY :
MEGHALAYA : SHILLONG

Technical Specification**Single Quadrupole GC-MS Spectrometer as per details mentioned below:**

Gas Chromatograph (GC) with one SSL Injector MS Quadrupole Mass Spectrometer, Selected Ion Monitoring and Full Scan facility, Turbo molecular Pumping System, Related Software, Gas Filter and Suitable Capillary Columns the supplier should provide-One year warranty and Certificate for the availability of spares for 10 years.

GAS CHROMATOGRAPH

1. Fully Automated Microprocessor controlled GC with extensive self-diagnostic facility.
2. Intuitive user interface with control PC for easy control of the system and real time signal display.
3. Should be with Programmable / Electronic Pneumatic Control and monitors for all Carrier, Injector, Split Vent, Detector and Auxiliary gases electronically.
4. Auto shut down of instrument in case of leak detection in carrier gas.
5. Auto adjustment of carrier gas flow to compensate for variations in ambient temperature and pressure.
6. Split/Splitless Injector Suitable for all capillary columns from (50 μm to 530 μm i.d.) and should support large volume concurrent solvent condensation injection and should be compatible with 1/8" and 1/16" packed column using adapters

Column oven :

Gas Chromatograph: Should have an operating range of few degrees above ambient to 450°;

Maximum Heating Rate: 120 °C/min or better; Maximum Number of Ramps to facilitate better analysis of environmental pollutant.

Operating Range: Ambient +3 °C to 450 °C or better

Oven cool-down (22 °C ambient): 450 °C to 50 °C in <4 min

EPC Pressure Range: 0-140psi or better

Mass Spectrometer:

Ion Source : should be Free from any form wired connection, easy to clean, easy to maintain off-axis ion source, with suitable facility to carry out helium ion burn in source before the main quadrupole.

Should have dual filaments in all ionization modes. Source with Programmable heating at 350 °C or better

- It should have accurate regulation of emission current up to 350 μA or more with improved regulation at low current.
- It should have Integrated, dual filament assembly mounted with the same geometry with improved filament lifetime and effective regulation of emission current across the available emission current range.
- The User definable electron energy should be adjustable from 0-150 eV or more
- It should have constant calibration gas pressure for optimum system tuning.
- The GC have the upgradation facility for no vent to change the column as well as source cleaning without venting the vacuum of MS transfer line temperature should be programmable up to 400 $^{\circ}\text{C}$ or more.
- The system should have suitable technology to prevent neutrals to gain entry into the main analytical quadrupole.
- The system should have vacuum probe interlock to remove the source without releasing vacuum to enable the users to save additional time during ion source maintenance, change of source, changing of GC column without breaking vacuum, , Switching to Direct Insertion Probe without the need to vent the MS
- Direct Insertion Probe for solid samples without using GC/ injector of GC or removing existing source.

Quadrupole Mass Analyzer:

Mass Range: 2 –1000 u or more

Resolution: Unit mass resolution maintained over the entire mass range.

EI sensitivity changed to 2000:1 (Guaranteed & to be demonstrated during installation. The supporting specification to be available in Company WEBSITE)

Scan speed : 20000 u/s or better

The Main quadrupole rods should be non-coated, homogeneous, solid metal rod and cleanable (No heating should be required)

It should utilize new generation discrete dynode electron multiplier integrated with linear-log electrometer with maximum linear output

Electronic dynamic range > 10^8 or better

Mass Stability: Better than 0.1 u/48 hours/ $\Delta T \leq 2$ K

Vacuum System :

It should have high-capacity (>300 L/s) turbomolecular pump with air-cooled high vacuum pump, with control and safety interlocks integrated into the system (Single pump).

It should have ability to perform automated leak check using a metered amount of air as reference.

It should have Standard 3.0 m 3/min rotary-vane pump

Instrument Control :

It should have scan modes like full scan, SIM, and alternating full scan/SIM.

It should have ability to alternate between full scan MS and SIM target analysis on successive scans.

In full scan/SIM mode, the data should be acquired into a single file with the ability to be parsed into separate views by the data system.

System should be Field upgradeable with the following Features:

Upgradation with advanced source to achieve an IDL <1fg for highly sensitive application.

Standard Installation Specifications (Not typical one)

In EI mode 1 μL of 1 pg/ μL octafluoronaphthalene (OFN) will produce the minimum signal to-noise for m/z 272 when scanning 50–300 u: 2,000:1 with He (Guaranteed)

Instrument detection limit: 5fg or less

Column :

Suitable Capillary Column for alcohol, Forensic Toxicological analysis, Volatile Organic Compound analysis by MS each (preferably 30 m or more). Supports Rapid-MS columns

RELATED SOFTWARE

Software controls all GC, auto sampler and MS functions. Should allow fully automated quantitative and qualitative analyses with standard and optional Custom Reports.

Flame ionization Detector : Qty 1

Should be compatible with Capillary column and packed column

Flameout detection and automatic re-ignition

Minimum Detectable Level (MDL): <1.4 pg C/s or better

Linear dynamic range: >10⁷ or better

Consumables: Consumables for GCMS like MS filaments – Qty 4, ferrules, liners, septas, nuts, gloves, alumina, syringes etc should be quoted.

Local Indispensable accessories :

True On-line 10 KVA UPS with 30 minutes battery backup (EMERSON /Power one make)

UHP Grade Helium Gas with Double Stage SS Diaphragm Regulator-1 set FOR GCMS

UHP Grade Hydrogen Gas with Double Stage SS Diaphragm Regulator 1 set (FOR FID)

UHP Grade Zero Air Gas with Double Stage SS Diaphragm Regulator 1 set (FOR FID)

UHP Grade Nitrogen Gas with Double Stage SS Diaphragm Regulator 1 set (FOR GC/FID)

Suitable Laser Jet Printer –Qty 1

Gas purification panel for all required gases

10 µL liquid -2Nos

NOTE:

- Supply, installation and commissioning of the instrument including gas manifold at FSL, Shillong
- Required Standard and Chemicals to be provided at the time of installation.

SPECIAL NOTE:

1. All specifications offered Needs to be supported with original literature as well as the same literature needs to be available in the website of the manufacturing company.
 2. The offer to be made in details with all technical specification, item details with part no's.
 3. All supporting technical literatures complying the technical specification need to be attached along with the order.
 4. Extensive Training to be provided at installation site with a qualified application specialist.
- =====